



TEXTILE
TRIMMINGS

Innova Collection
38mm (1½") Channel System
Motorized/Corded Drapery Rod System



38mm (1½") Cord Draw Innova System

INNOVA COLLECTION

The Innova Collection is able to benefit every scenario for visual appeal and for operation. It lends itself to either a contemporary environment or a traditional drapery treatment. Innova is available as a motorized system, cord draw, or hand draw. This means the designer can have a unified aesthetic but individually target the function of each window. This is elegant design which makes sense.

CORD DRAW

All the great operation of the Innova Collection is even better because it can be controlled by a cord draw. This system combines the beauty of a well proportioned 1 ½" (38mm) decorative rod with the ease of using a cord. The Innova corded system makes the most of its highly efficient ball bearing pulleys utilized at both control and idler sides to provide you with a nearly effortless draw. The specially engineered control cord is available in white and black colours.



RIPPLEFOLD

Innova is the decorative rod for your ripplefold project, both for task and aesthetics. A wheeled base on the carriers helps your clients pull the drape easily into the opened or closed position. The softly undulating curves of the drapery sit underneath the Innova Rod, which then gives the drape a gorgeous frame. Ripplefold drapes hung on the Innova Collection rod are simply perfect. Ripplefold Innova can be hand drawn, corded, and motorized.



PINCH PLEAT

The Innova Collection performs fabulously for traditional pinch pleat drapes, or more contemporary styles for example a reverse pleat. The drapes float as the ball bearing carriers are easily pulled into the open or closed position. It has the same decorative impact as a rod and ring system, but without the obstacle of bracket placement or rod splices. Overall the system is a pleasing to look at, and has excellent functionality.

38mm (1½") Motorized Innova System

MOTORIZED

Motorization is the height of ease when moving of your drapes whether they are pleated or ripplefold style. All your client needs to do is push the button on their control and their drapes will open or close as desired. Innova motorized systems are made for an easy installation and are in fact provided as a plug and play. They can be programmed to work with home automation systems or to be a standalone system, giving the home owner the option to add it to those windows where it now is prudent. Practical, attractive, and convenient, a combination which gives your client a one of a kind excellent solution for a decorative motorized drapery rod.



Specifications

- Rod profile: 38mm (1.5") OD aluminum extrusion 6063 T5
- Transmission: 6mm timing belt reinforced w/Kevlar cords
Maximum system width unspliced: 198" (finials excluded)
- Maximum load capacity: 3lbs per carrier / total capacity depends on track width (please refer to capacity tables)
- Recommended bracket spacing: maximum 32" on centre (extra brackets at stack are recommended)
- Available with pinch pleat or wheeled Ripplefold carriers
- Full line of control options available, including wireless timers, network controls & integration with Home / Building Automation systems
- 6-channel RF remote control & 4-channel RF wireless wall switch work with every QMT drape & shade system
- Rod can be custom painted

38mm (1½") Innova Channel Rods & Finishes

WOOD & METAL:
Mix and match wood and metal
decorative rods and finials
for a custom look



Steel Splice / IC4000
Use to connect 38mm channel rods
Available in .61 Raw only



Splice Cover / IC4110
Use to cover steel splice IC4000
Finishes: .59 | .47 | .62 | .64 | .65
.66 | .88 | .91 | .92 | .93 | .94



Channel Rod / .59 Black
10 Ft. Length (120") IC4010
16 Ft. Length (192") IC4016



Channel Rod / .47 Espresso
10 Ft. Length (120") IC4010
16 Ft. Length (192") IC4016



Channel Rod / .62 Gun Metal
10 Ft. Length (120") IC4010
16 Ft. Length (192") IC4016



Channel Rod / .64 Vintage Gold
10 Ft. Length (120") IC4010
16 Ft. Length (192") IC4016



Channel Rod / .65 Vintage Copper
10 Ft. Length (120") IC4010
16 Ft. Length (192") IC4016



Channel Rod / .66 Creme
10 Ft. Length (120") IC4010
16 Ft. Length (192") IC4016



Channel Rod / .88 Brushed Stainless
10 Ft. Length (120") IC4010
16 Ft. Length (192") IC4016



Channel Rod / .91 Walnut
10 Ft. Length (120") IC4010
16 Ft. Length (192") IC4016



Channel Rod / .92 Light Bamboo
10 Ft. Length (120") IC4010
16 Ft. Length (192") IC4016



Channel Rod / .93 Dark Bamboo
10 Ft. Length (120") IC4010
16 Ft. Length (192") IC4016



Channel Rod / .94 Dark Cedar
10 Ft. Length (120") IC4010
16 Ft. Length (192") IC4016

38mm (1½")

Innova Collection

Finials for 38mm Innova Collection



Crystal Finial / IC3415
Size: 3 3/4" x 2 7/8"
Finishes: .59 | .47 | .62 | .64 | .65 | .66 | .88



Glass Globe Large Finial / IC3408
Size: 3 3/4" x 2 5/8"
Finishes: .59 | .47 | .62 | .64 | .65 | .66 | .88



Baillie Large Finial / IC3404
Size: 3 3/4" x 2 5/8"
Finishes: .59 | .47 | .62 | .64 | .65 | .66 | .88



Trafalgar Large Finial / IC3407
Size: 3" x 3 3/4"
Finishes: .59 | .47 | .62 | .64 | .65 | .66 | .88



Connaught Large Finial / IC3402
Size: 3 1/4" x 2 7/8"
Finishes: .59 | .47 | .62 | .64 | .65 | .66 | .88



Dunbar Large Finial / IC3405
Size: 2 3/4" x 2"
Finishes: .59 | .47 | .62 | .64 | .65 | .66 | .88



End Cap / IC3400
Size: 1" x 1 11/16"
Finishes: .59 | .47 | .62 | .64 | .65 | .66 | .88

Fling Rods



Decorative Fling Rod / ML1330
Length: 40"
Finishes: .59 | .47 | .62 | .64 | .65 | .66 | .88

Brackets for 38mm Innova Collection



Decorative Wall Bracket / IC4310
Return: 4 3/8"
Base Diameter: 2"
Finishes: .59 | .47 | .62 | .64 | .65 | .66 | .88



Wall Double Bracket / IC4410
Return: 3 1/2" | 7 5/8"
Base Diameter: 2 1/2"
Finishes: .59 | .47 | .62 | .64 | .65 | .66 | .88



Ceiling Bracket / ML7215
Clearance: 1 5/8"
Base Diameter: 1 7/8"
Finishes: .59 | .47 | .62 | .64 | .65 | .66 | .88

Custom Suspension Bracket



Custom Suspension Ceiling Bracket
Please Call for Quote



38mm (1½") Innova Collection

Components for Ripplefold

Ripplefold Spaced Snap Carrier



2 5/8" on Center / CS2806

Wheeled / Double Sided
For 60% fullness when using 4 1/4" snap tape
Finishes: .25 (White) | .59 (Black)

2 3/8" on Center / CS2808

Wheeled / Double Sided
For 80% fullness when using 4 1/4" snap tape
Finishes: .25 (White) | .59 (Black)

2 1/8" on Center / CS2810

Wheeled / Double Sided
For 100% fullness when using 4 1/4" snap tape
Finishes: .25 (White) | .59 (Black)

1 7/8" on Center / CS2812

Wheeled / Double Sided
For 120% fullness when using 4 1/4" snap tape
Finishes: .25 (White) | .59 (Black)

Ripplefold Snap Tape



Snaps: 4 1/4" on Center / CS2945

Finishes: .25 (White) | .59 (Black) | .98 (Clear)

Snaps: 7 1/2" on Center / CS2975

Finish: .25 (White)

Snaps: 8 1/2" on Center / CS2985

Finish: .25 (White)

Snaps: 10" on Center / CS2910

Finish: .25 (White)



Ripplefold Master Carrier Overlap / CS2035

Reversible
Finishes: .25 (White) | .59 (Black)



Ripplefold Master Carrier Underlap / CS2036

Reversible
Finishes: .25 (White) | .59 (Black)



Ripplefold Butt Master Carrier Right Hand / CS2045

Reversible
Finishes: .25 (White) | .59 (Black)



Ripplefold Butt Master Carrier Left Hand / CS2046

Reversible
Finishes: .25 (White) | .59 (Black)



End Stop / ML7540 / ML7545

With Screw & Carrier
Finishes: .25 (White) | .59 (Black)
ML7540 - Pinch Pleat | ML7545 - Ripple Fold

Components for Pinch Pleat



Slim Ball Bearing Carrier / CS2250

Width: 16mm
3 1/4" Pin drop
Finishes: .25 (White) | .01 (Brown)
.59 (Black) | .60 (Aluminum)



Ball Bearing Carrier / CS2260

Width: 20mm
3 1/4" Pin drop
Finishes: .25 (White) | .59 (Black)



Master Carrier Overlap / CS2013

Reversible
Finishes: .25 (White) | .59 (Black)



Master Carrier Underlap / CS2014

Reversible
Finishes: .25 (White) | .59 (Black)



2 Way Universal End Stop / HW910

Finishes: .25 (White) | .60 (Aluminum)



TEXTILE
TRIMMINGS

1015 Clark Drive,
Vancouver, BC, Canada V5L 3K1
Tel: 604.251.2401 Fax: 604.251.2499
TF Tel: 1.800.663.0601 TF Fax: 1.800.663.0634
Email: info@textiletrimmings.com
www.textiletrimmings.com

