

Premium Quality Round and Square Clear Acrylic Rods with Carefully Crafted Metal Components in the Finest of Finishes

This crystal clear hardware beautifully blends into any background whether it is wallcovering or paint, crown molding or wall trim, complementing virtually any type of sheers or drapery.





Modern and Stylish, Barely There, These Crystal Clear Rods Create Floating Illusion, Softening & Opening Architectural Elements



Finishes Available in Square Collection:

.80 / Satin Gold



.59 / Pure Black





Stainless



.99 / Polished Chrome

CLARITY SQUARE COLLECTION

Finials:



Square End Cap LCT5400 Size: 1-1/8" x 1-1/2"



Square Glass Finial LCT5403

LCT5403 Size: 2-7/8" x 1-1/2"

Rings:



Square Metal Ring with Eyelet LCT5350 Size: 2-1/2" x 2" (10/pkg)



Open Square Ring with Eyelet LCT5390 Size: 2-1/2" x 2" (10/pkg) Use with By-Pass Brackets for continuous draw.

Fling Rods:

Clear Acrylic Fling Rod w/Metal Snap

> FL300.98 Length: 30"

FL360.98 Length: 36"

FL480.98 Length: 48" Metal Decorative Fling Rod ML1330 Length: 40"

Available in: .59 | .80 | .88 | .99

35mm (1-1/2") Clear Acrylic Square Rod



LCT5004.98 - 4FT LCT5005.98 - 5FT LCT5008.98 - 8FT LCT5010.98 - 10FT

Rods can be easily cut to size on site with a chop saw. To achieve cleaner cuts please make sure the saw is fitted with sharp blade for cutting aluminum material.

Brackets:



Ceiling / Wall Loop Bracket LCT5203 Adjustable Return: 3" - 3-1/2" (Can be cut down to 2-1/2")



Ceiling / Wall Extended Loop Bracket LCT5205 Adjustable Return: 3-5/8" - 4-7/8"



By-Pass Wall Bracket LCT5212 Adjustable Return: 4-3/8" - 4-7/8" (Can be cut down to 2-1/2")



By-Pass Extended Wall Bracket LCT5216 Adjustable Return: 4-3/8" - 6" (Can be cut down to 3-5/8")

Maximum recommended bracket spacing is 5ft to prevent bowing. Use LCT5212 or LCT5216 By-Pass Brackets with LCT5390 Open Rings for continuous draw.



Finishes Available in Round Collection:







.59 / Pure Black

.80 / Satin Gold

.60 / Satin Pewter .99 / Polished Chrome

Clarity **ROUND COLLECTION**

38mm (1-1/2") Diameter Clear Acrylic Round Rod



LCT3004.98 - 4FT LCT3005.98 - 5FT LCT3008.98 - 8FT LCT3010.98 - 10FT LCT3016.98 - 16FT

Rods can be easily cut to size on site with a chop saw. To achieve cleaner cuts please make sure the saw is fitted with sharp blade for cutting aluminum material.

30mm (1-1/4") Diameter Clear Acrylic Round Rod

Available within Millennium Collection



LCT1004.98 - 4FT LCT1006.98 - 6FT LCT1008.98 - 8FT

Please refer to 30mm (1-1/4") Millennium Collection for selection of finials, brackets, rings & finishes

Brackets:







Ceiling / Wall

Loop Bracket

Return: 3-1/2"

LCT3203

By-Pass Wall Bracket LCT3218 Return*: 6"

Maximum recommended bracket spacing is 4ft to prevent bowing. Use LCT3218 By-Pass Bracket with LCT3390 Open Rings for continuous draw.

* The return of the brackets can be adjusted by cutting stem down to size

Finials:



End Cap LCT3400 Size: 1-1/8" x 1-3/4"



Dunbar Finial LCT3405 Size: 2-3/4" x 2"



Glass Globe Finial LCT3408 Size: 3-3/4" x 2-5/8"



Crystal Finial LCT3415 Size: 3-3/4" x 2-7/8"

Rings:



Flat Round Ring with Evelet LCT3350 ID: 2" (10/pkg)



Open Flat Round Ring with Eyelet LCT3390 ID: 2" (10/pkg)

Use with LCT3218 **By-Pass Bracket** for continuous draw.

Fling Rod w/Metal Snap

Length: 30"

FL360.98

Length: 48"

ML1330

Available in: .59 | .80 | .88 | .99

Fling Rods: Clear Acrylic

FL300.98

Length: 36"

FL480.98

Fling Rod

Metal Decorative





Clarity

Premium Ouality Round and Square Clear Acrylic Rods with Carefully Crafted Metal Components in the Finest of Finishes Clear Acrylic Collection by



Your Drapery Hardware Specialist

Physical set of samples is available within our exclusive hardware sample case.

Acrylic material is inherently UV resistant thus keeping its clarity for the life of hardware. Clear Acrylic Drapery Rods come in variety of lengths and can be easily cut to size on site with a chop saw. To achieve cleaner cuts please make sure the saw is fitted with a sharp blade for cutting aluminum material.



